



PRODUCT DATA SHEET

Rev. 07/12/2019
ver. 1

WUC 400

GENERAL DESCRIPTION

WUC 400 is a liquid Polyphosphate scale and corrosion inhibitor used primarily in the protection of potable water distribution systems. WUC 400 has been specifically formulated to provide excellent sequestering capabilities and for a wide range of general corrosion inhibition needs. When added to the water flow, WUC 400 forms a stable, evenly distributed protective film on distribution piping and all surfaces.

- Liquid Polyphosphate Blend
- NSF/ANSI Standard 60 Certified Product

APPLICATIONS

WUC 400 is formulated to address problems associated with corrosive water, soluble iron, manganese and calcium. It is designed to protect valves, meters, and distribution equipment from damage caused by corrosion and mineral buildup. Usage of WUC 400 will reduce the need for pH adjustments and overall treatment costs.

TYPICAL PROPERTIES

Appearance:	Clear, colorless liquid
% P-PO4:	16 - 18
Density:	1.27 - 1.35
pH:	10 - 12
Solubility:	100%
Crystallization point:	< 30° F
NSF/ANSI Std 60 MUL:	54.0 mg/L

ADVANTAGES

- Reduces or eliminates the need for pH adjustments.
- Controls general corrosion
- Sequesters calcium, iron & manganese
- Prevents scale deposits
- Safe: certified by NSF
- Reduces overall treatment costs

CONTACT

PURIFY

1707 Townhurst Drive
Houston, TX 77043
713-463-1929
www.purifywt.com

24 Hour Emergency Phone: 1-800-424-9300